

Walden 7.25" LED Wall Light Textured Black
 49550BKTLED (Textured Black)

Project Name: _____
 Location: _____
 Type: _____
 Qty: _____
 Comments: _____



Certifications/Qualifications

| | |
|--|-----|
| Dark Sky Compliant | Yes |
| Location Rating | Wet |
| www.kichler.com/warranty | |

Dimensions

| | |
|---|-------------|
| Base Backplate | 7.25 X 4.75 |
| Extension | 3.75" |
| Weight | 3.00 LBS |
| Height from center of Wall opening (Spec Sheet) | 3.75" |
| Height | 7.25" |
| Width | 5.00" |

Electrical

| | |
|---------------|--------------|
| Input Voltage | Single(120)V |
|---------------|--------------|

Mounting/Installation

| | |
|-------------------|------------|
| Interior/Exterior | Exterior |
| Mounting Style | Wall Mount |
| Mounting Weight | 3.00 LBS |

Photometrics

| | |
|----------------------------------|-------|
| Color Rendering Index | 90 |
| Color Temperature Range | 3000 |
| Delivered Efficacy (Lumens/Watt) | 99 |
| Delivered Lumens | 880 |
| Kelvin Temperature | 3000K |

Primary Lamping

| | |
|-------------------------|---|
| Dimmable | Yes |
| Dimmable Notes | This LED is compatible with most standard incandescent dimmers, LED dimmers, and electronic low voltage dimmers. For more information, go to Kichler.com/dimming . |
| Equivalent Light Source | Incandescent |
| Expected Life Span | 35000 |
| Lamp Included | Integrated |
| Light Source | LED |
| Max or Nominal Watt | 8W |
| # of Bulbs/LED Modules | 1 |

Product/Ordering Information


| | |
|--------|--------------|
| SKU | 49550BKTLED |
| Finish | Black |
| Style | Contemporary |
| UPC | 783927458467 |

Specifications

| | |
|----------|----------|
| Material | ALUMINUM |
|----------|----------|

Additional Finishes

 Architectural Bronze

 Textured Black

Kichler

7711 East Pleasant Valley Road Cleveland, Ohio 44131-8010
Toll free: 866.558.5706 or kichler.com

Notes:

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

KICHLER®